

PCT/GB 98 / 0 3 5 5 5

09/555725

GB 98/03555



Europäisches
Patentamt

Eur pean
Patent Office

Office eur péen
des brevets

FSU.

REC'D 17 FEB 1999

WIPO PCT

Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-
gen stimmen mit der
ursprünglich eingereichten
Fassung der auf dem näch-
sten Blatt bezeichneten
europäischen Patentanmel-
dung überein.

The attached documents
are exact copies of the
European patent application
described on the following
page, as originally filed.

Les documents fixés à
cette attestation sont
conformes à la version
initialement déposée de
la demande de brevet
européen spécifiée à la
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

97309926.0

PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

N.A.S. Kettio

N H A DEN
HAG
HAYE,

10/12/98

EPAT/2/OFB

1014 - 02.91



**Eur päisches
Patentamt**

**Eur pean
Patent Office**

**Office eur péen
des brevets**

**Blatt 2 der Bescheinigung
Sheet 2 of the certificate
Page 2 de l'attestation**

Anmeldung Nr.:
Application no.: 97309926.0
Demande n°:

Anmeldetag:
Date of filing: 09/12/97
Date de dépôt:

Anmelder:
Applicant(s):
Demandeur(s):
BRITISH TELECOMMUNICATIONS public limited company
London EC1A 7AJ
UNITED KINGDOM

Bezeichnung der Erfindung:
Title of the invention:
Titre de l'invention:
Conference facility

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s) revendiquée(s)

Staat:
State:
Pays:

Tag:
Date:
Date:

Aktenzeichen:
File no.
Numéro de dépôt:

Internationale Patentklassifikation:
International Patent classification:
Classification internationale des brevets:
H04N7/15

Am Anmeldetag benannte Vertragsstaaten:
Contracting states designated at date of filing: AT/BE/CH/DE/DK/ES/FI/FR/GB/GR/IE/IT/LI/LU/MC/NL/PT/SE
Etats contractants désignés lors du dépôt:

Bemerkungen:
Remarks:
Remarques:

CONFERENCE FACILITY

This invention relates to teleconferencing, and in particular a facility for the generation of images relating to an "virtual meeting space" within the context
5 of which individuals at a plurality of locations remote from each other may interact in a manner which emulates a conventional meeting.

A number of systems are being developed which define a virtual Cartesian space in which the individual members of a teleconference are positioned, and each individual's view of the meeting space as shown on their display is
10 determined by the individual user's position within the Cartesian space. Facilities may be provided in such systems to allow documents to be created, retrieved, etc. For example, one wall of the "meeting space" may be represented as a drawing board on which images can be represented. The user wishing to use the drawing board carries out a control function which causes the system to change the
15 relative positions of the user and the whiteboard in the virtual space such that the user can generate images on it. This in practice requires the user's viewpoint to move within the virtual space.

Individual users are represented in the virtual space display by "avatars", which are computer generated representations of the users. These may be video
20 images of the users, either live or retrieved from a store, but in general they are digitally generated representations. In general, each user is able to select the appearance of his or her avatar in the virtual space from a menu of characteristics. Alternatively, an individual user may be able to select the appearances of the avatars of the other users, as they appear to that individual. Other characteristics
25 of the meeting space, such as the colour and shape of the elements of the meeting space, may also be selectable by the user.

There are a number of disadvantages to the conventional virtual meeting space, in particular, the relative positions of the users make it difficult to view all the users at the same time on a conventional video monitor. Furthermore, events
30 taking place in the meeting space, such as an individual operating the "whiteboard", or joining or leaving the meeting, require complex navigation around the virtual space in order to be reasonably realistic. Such navigation requires considerable thought on the part of the user, to ensure that unrealistic occurrences, such as one user walking through another, or through the furniture,

do not take place. Such thought can distract from the conduct of the conference itself.

According to the invention, there is provided a method of representing users on a display device in a telecommunications conferencing facility by means of graphical representations corresponding to the respective users, wherein the users are depicted as carrying out symbolic actions, relating to the various events taking place during the virtual telecommunications conferencing process, the users and their activities being represented to each user by means of graphical representations in which symbolic positions and movements of the representations of each user are selected according to the viewpoint of each user.

This invention allows the realistic representation of a meeting by providing a "meeting space" which is consistent from the viewpoint of each user, without necessarily being consistent between users.

The more inconvenient aspects of a real meeting space can be eliminated, rather than emulated. For example, the accessing of a facility by one user for viewing by other users can be represented in a different manner for the viewing users and the accessing user, and users not currently actively engaged in the telecommunications conference can be represented in a different manner from those currently viewing the conference.

Activities such as providing copies of documents may be represented symbolically, and social cues may also be represented, in response to specific commands from the individual users.

Each user's representation of the meeting space may be arranged such that all other elements of the meeting space, including the other users, appear within a narrow and preferably fixed field of view, corresponding to his own display device's dimensions. This improves the ease of use of the system by each user in the meeting space, as changes of viewpoint are not necessary. It allows all users to see each other without changing viewpoint, which is not possible even in a real meeting space.

A user with a wide-screen panoramic display device may depict the other users spaced further apart than would a user with a much smaller screen, for example on a lap-top computer.

The operation of the invention can take place by interaction between a central "server", controlling those aspects of the system common to all users, such as information relating to the activities to be depicted, and client devices connected to the server and responsible for those aspects specific to each user, such as actions taken by the respective user, information on which is transmitted to the server for depiction on the other user terminals.

The invention will now be discussed in greater detail with reference to the drawings.

Figure 1 represents the general configuration of a system arranged to operate the present invention,

Figure 2 is a representation of a virtual meeting space according to the prior art,

Figure 3 and 4 are a representations of a virtual meeting space according to the invention,

Figures 5 to 12 are various representations of the virtual meeting space as seen by different individual users in different circumstances as will be described.

In Figure 1 there is shown an arrangement to allow four users 1, 2, 3, 4 to interact in a virtual teleconference. Each user has a respective human/machine interface unit 21, 22, 23, 24, which includes all the necessary video and audio equipment for the user to see and hear what is happening in the virtual meeting space, and the necessary user input devices (e.g. keyboards, computer "mouse" etc.) to provide input to the virtual meeting space. Each interface, 21, 22, 23, 24 is connected to a respective client apparatus 11, 12, 13, 14 which provides an interface between the user and a main server 10 which controls the operation of the meeting space. The server 10 has, as a further input, a store 30 which maintains permanent data defining the virtual meeting space.

In response to inputs from one of the users (e.g. user 1) through his respective user interface (21) the client apparatus transmits these inputs to the main server 10 which, in accordance with the meeting space definition 30, controls the images to be represented on the other users screen 22, 23, 24 to represent the activities of the user 1, input through interface device 21. As a very simple example, the actions of the user 1 when first establishing contact with the meeting space are translated by the client computer 11 and converted by the server 10, into a representation of the user 1 entering the meeting space, which is

in turn passed to the individual clients 12, 13, 14 to be represented as the avatar of the user 1 moving into the field of view of the display devices 22, 23, 24.

The manner of representation of the individual user 1 in the virtual space may be selected either by the user 1 through his respective client device 11, or by
5 each receiving user 2, 3, 4 in the meeting space, who may select an avatar according to his own requirements to represent the user 1. Similarly, some parts of the virtual meeting space may be defined centrally in the meeting space definition unit 30, whereas other aspects may be defined by each individual client 11, 12, 13, 14 independently of the others. Such definitions may include colour
10 schemes, the relative locations of the individual users 1, 2, 3, 4, etc.

Thus far the description of the system is the same for the known prior art systems as it is for the system according to the invention.

In Figure 2 is shown a representation of a virtual meeting space according to the prior art. It will be noted that the virtual meeting space shows four users 1,
15 2, 3, 4, located at equally spaced intervals around a table 31. It will be noted that in order for any user (e.g. user 3) to clearly see all the other users (1, 2, 3, 4), a fairly wide angle of view is required. In order to view different users the direction of view must be changed, and it is difficult to view all members of the virtual conference simultaneously. This problem obviously increases, the more people are
20 taking part in the conference.

Figure 3 shows a virtual meeting space in the system according to the invention as seen by a user 3. It will be noted that for the user 3 the three remaining users 1, 2, 4 now subtend a much narrower angle.

Figure 4 shows the same virtual meeting space, but seen from the
25 viewpoint of a different user 4. It will be seen that the other users 1, 2, 3 also subtend a narrow angle as seen from the user 4, in the same way that in Figure 3 the users 1, 2, 4 subtend a narrow angle as seen from the user 3. The server 10 and clients 11, 12, 13, 14 are arranged to represent the relative positions of the avatars according to this distorted co-ordinate system, such that for each user the
30 other users subtend a relatively narrow angle and may all appear within the same field of view. It will be noted that although the angular distances between the users is different from each viewpoint, the order in which they appear around the table is preserved. This allows sociological cues, such as interactions between neighbours around a table, to occur consistently regardless of the viewpoint.

Figures 5 to 12 show various representations of the virtual meeting space, as viewed by different individual users 1, 2, 3, 4, in different circumstances. The avatars representing each user are indicated by reference numerals 1, 2, 3 and 4. For clarity in this description, the avatars for each user has a respective shape, which is consistent between viewpoints, but as has been discussed, each user may choose to represent a particular participant in a different way in his own viewpoint. The viewpoint represented in each figure is indicated by the reference numeral relating to the user terminal on which the view is being represented. Therefore Figures 5, 7, 8 and 9 show the view as seen on user terminal 21, belonging to user 1; Figure 6 and 12 show the view on terminal 24, belonging to user 4, and Figures 10 and 11 represent terminals 22 and 23 respectively, in use by users 2 and 3 respectively. Common to all the virtual meeting space images are the avatars of the other users 1, 2, 3, 4, a table 31 and a "whiteboard" 32. Other elements will be described with reference to the figures in which they are represented. It should be noted that for each user, all other users and elements of the meeting space are in full view, without any need to change viewpoint. This is so, despite some elements appearing, to one user, to be behind another user.

Figure 5 shows schematically the view of the virtual meeting space as seen by one of the participants 1. Users 2 and 4 are also taking part in the teleconference, this can be seen by the full representation of the avatars 2 and 4 in their respective positions around the table 31. User 3, although allocated a position in the virtual meeting space has not yet entered the meeting space, and his avatar is replaced by a representation of an empty seat 3. Users 2, 3, and 4 are represented as subtending an angle of approximately 90° , with the avatars of users 2 and 4 each at approximately 135° from the angular position around the table 31 of the viewing user 1.

Figure 6 shows the same situation as viewed by another user 4. It will be seen that the view is the same as that in Figure 5, except that user 1 is represented instead of the user 4. Note that the relative positions around the table are preserved i.e. user 3 is still to the left of user 2, but the angular distance between users is not the same as in Figure 5. In the meeting space as viewed by the user 4, users 1 and 2 are separated by only approximately 45° , with the users 1 and 3 at approximately 135° angular position from the viewing user 4.

Figure 7 represents the view of the meeting space as viewed by the user 1, in the situation where two of the users 2, 3 are conducting a conversation between themselves, using a separate connection. The avatars of the users 2 and 3 are shown as facing each other and closer together than in other views, indicating that they are not currently primarily concentrating on the meeting space. The facility for private discussion (conferring) may be provided in virtual meeting spaces in order to allow discussion between two parties, for example to agree a negotiating position before presenting it to the meeting at large.

A user may indicate that he wishes to close the conference in the near future, or to withdraw from it, by entering a command to the server, which will respond by causing the avatar of that user to perform an action representative of activities performed by real people in such a situation, for example putting papers into a case, looking at a clock (if one is present in the virtual meeting space) or at a wristwatch, as shown in Figure 7 (user 4), or putting a coat on. Different actions may be represented each time the user activates the command, to indicate increasing proximity to the closure time. The user may pre-programme such cues to appear at predetermined times leading up to the desired closure time.

Figure 8 is a representation in which the user 2, although still connected to the meeting space, is consulting a document. This can be done by the user 2 by calling up the relevant document on his computer screen (for example by 'clicking' with a 'mouse'), the meeting space typically being relegated to a small representation of the meeting space in one corner of the viewpoint of the screen. The system shows the avatar of the user looking at a representation of a document on the table, to represent to the other users, e.g. user 1, the fact that the user is primarily studying something other than the meeting space.

Another user 1 may obtain a copy of a document by performing an action on it (e.g. 'clicking' a mouse cursor). Subject to the document not being copy-protected, (which may be indicated by some characteristic of the representation of the document, e.g. its colour), the user 1 can then obtain a copy of the document. Alternatively the user 2 who holds the document may perform some action to copy the document to one, some, or all of the other participants. A representation of the copy will be shown in the user space as moving from the user 2 to the other user or users.

Figures 9, 10, 11 and 12 represent the viewpoints of the individual users 1, 2, 3 and 4 when a user (user 1 for example) wishes to use the "whiteboard" facility of the virtual meeting space. In order to access this facility the user 1 may carry out predetermined input in the user interface unit 21 in order to indicate that he wishes to use the whiteboard. For example, he may use a "mouse" to "click" on the whiteboard space 32 represented in viewpoint 21. This will cause the screen representation 21 to change to a full screen view of the whiteboard 32 as shown in Figure 9. A cursor 35 is present to allow the user to draw a diagram 34 etc. on the whiteboard 32. The view of the meeting space is relegated to an inset 21a.

From the points of view of the other users 2, 3 and 4, the avatar of the user 1 is represented as moving from his respective position around the table 31 (which is of course different for each user) towards the representation 32 of the whiteboard (whose position relative to the avatar of user 1 is also different in each viewpoint). The movement of the avatar 1 to the whiteboard 32 is therefore different in each case, because of the different viewpoints. Furthermore, the user 1 is not required to 'navigate' around (or through) the virtual table 31 to reach the whiteboard 32.

It will be noted that in each viewpoint the whiteboard 32 appears in the field of view. However, each user sees the whiteboard 32 positioned behind a different other user. For example, in Figure 5 it will be seen that from the viewpoint of user 1 the whiteboard 32 is behind the avatar of user 4. In Figure 6, the whiteboard 32 seen by the user 4 is behind the avatar of user 3. Thus, unlike in a conventional virtual meeting space (or indeed a real meeting space), no user perceives the whiteboard as being behind himself: each user perceives the whiteboard as behind someone else. Thus each user will find the whiteboard is within his field of view.

Movements, positions, and other attributes of the individual users are thus represented symbolically in the virtual meeting spaces. Each user will see the other users' avatars behaving in an appropriate way for activities taking place during the meeting, although the users will have a different view as to the detail of such activities, e.g. the distance that another user has to move in order to access an element, the relative distances between avatars, and even the appearances of the individual avatars and the fixed parts of the meeting space.

3

CLAIMS

1. A method of representing users on a display device in a telecommunications conferencing facility by means of graphical representations
5 corresponding to the respective users, wherein the users are depicted as carrying out symbolic actions, relating to the various events taking place during the virtual telecommunications conferencing process, the users and their activities being represented to each user by means of graphical representations in which symbolic positions and movements of the representations of each user are selected
10 according to the viewpoint of each user.
2. A method according to claim 1, wherein for each user, the representations of each of the other users are arranged such that they are all contained within the field of view of the user's display device.
15
3. A method according to claim 2, in which the symbolic actions are selected such that they take place within a fixed field of view.
4. A method according to claim 1, 2 or 3, wherein the accessing of a facility
20 by one user for viewing by other users is represented in a different manner for the viewing users and the accessing user.
5. A method according to one of claims 1 to 4, wherein users not currently actively engaged in the telecommunications conference are represented in a
25 different manner from those currently viewing the conference.
6. Telecommunications conferencing system comprising means for representing users on a display device by means of graphical representations corresponding to the respective users, further comprising means for depicting
30 symbolic actions carried out by users, relating to the various events taking place during the virtual telecommunications conferencing process, wherein means are provided for representing the users and their activities to each other user by means

of symbolic positions and movements of each user, selected according to the viewpoint of each user.

7. Conferencing system according to claim 6, comprising means for
5 representing, for each user, each of the other users such that they are all subtended within the field of view of the user's display device.

8. Conferencing system according claim 7, in which the symbolic actions are selected such that they take place within a fixed field of view.

10

9. Conferencing system according to any of claims 6 to 8 comprising means for accessing a facility by one user for viewing by other users, wherein the accessed facility is represented in a different manner for the viewing users and the accessing user.

15

10. Conferencing system according to any of claims 6 to 9, comprising means for representing users not currently actively engaged in the telecommunications conference in a different manner from those currently viewing the conference.

20 11. System according to any of claims 6 to 10, comprising client means associated with each user for generating at least part of the user's viewpoint.

12. System according to any of claims 6 to 11, comprising server means accessible by each user for generating at least part of the users' viewpoints.

25

4

ABSTRACT

CONFERENCE FACILITY

A telecommunications videoconferencing facility represents other users on a user's display device 21 by means of graphical representations (avatars) 2,3,4 corresponding to the respective users. The virtual environment can be arranged differently for each user, e.g. the relative positions of the avatars and other elements (e.g. whiteboard facility 32) of the environment can be different for ease of viewing. The avatars carry out symbolic actions, relating to the various events taking place during the virtual telecommunications conferencing process, under the control of simple commands which cause their avatars to move in complex ways, without the need for the user to perform a complex navigational task around the virtual environment. For example, a user 2 wishing to use the whiteboard facility 32 can access it using a "mouse" or keyboard operation, which will cause the avatar representing the user 2 to move to the whiteboard 32 in the virtual environments of the other users 1, 3, 4. The act of copying a document 33 may be represented by the movement of a representation 33a of such a copy across the table 31.

20

Figure 8




Figure 1




Figure 2




Figure 3




Figure 4

1/3

5




Figure 6




Figure 8




Figure 5




Figure 7




Figure 9




Figure 11




Figure 10




Figure 12

THIS PAGE BLANK (USPTO)